Question Paper Preview

Question Paper Name:Mining EngineeringSubject Name:Mining Engineering

Mathematics

Number of Questions:50Display Number Panel:YesGroup All Questions:No

Question Number: 1 Question Id: 6780946004 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

If the traces of A and B are 20 and -8 then the trace of (A+B) is ____

Options:

- , 12
- , -12
- , 28
- , -28

Question Number : 2 Question Id : 6780946005 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

If $A = \begin{bmatrix} x & 1 \\ 1 & 0 \end{bmatrix}$ is an involutory matrix then $x = \begin{bmatrix} x & 1 \\ 1 & 0 \end{bmatrix}$

Options:

- , 0
- 2. -2
- 3 -1
- , 2

Question Number: 3 Question Id: 6780946006 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The determinant of
$$\begin{bmatrix} \log e & \log e^2 & \log e^3 \\ \log e^2 & \log e^3 & \log e^4 \\ \log e^3 & \log e^4 & \log e^5 \end{bmatrix}$$
 is ____

Options:

- 4 loge
- 5loge



Question Number: 4 Question Id: 6780946007 Display Question Number: Yes Single Line Question Option: No Option **Orientation: Vertical**

If
$$A = \begin{bmatrix} 1 & 1 & 0 \\ 2 & 1 & 3 \\ 0 & 1 & 2 \end{bmatrix}$$
 then $\det(adjA) =$ ____

Options:

- $\det A$
- $\det A^2$
- $(\det A)^2$

Question Number: 5 Question Id: 6780946008 Display Question Number: Yes Single Line Question Option: No Option **Orientation: Vertical**

If A, B are two matrices and AB=B, BA=A then $A^2 + B^2 =$

If
$$\frac{3x+2}{(x+1)(2x^2+3)} = \frac{A}{x+1} + \frac{Bx+C}{2x^2+3}$$
, then $A+C-B =$ _____

Options:

- . (
- ຸ 2
- 3 3
- ₄ 5

Question Number: 7 Question Id: 6780946010 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

If
$$\frac{3x}{(x-a)(x-b)} = \frac{2}{x-a} + \frac{1}{x-b}$$
 then $a:b =$ ____

Options:

- $_{1}$ -2:1
- , 2:1
- , 1:2
- 4. 3:1

Question Number: 8 Question Id: 6780946011 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The value of tan 855° = ____

Options:

- 1. 1
- $\frac{1}{\sqrt{2}}$
- , -1

Question Number: 9 Question Id: 6780946012 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

If
$$\tan \alpha = \frac{m}{m+1}$$
 and $\tan \beta = \frac{1}{2m+1}$ then $\tan(\alpha + \beta) = \underline{\hspace{1cm}}$

- _ _1
- , 0
- , 1
- 4 2

Question Number: 10 Question Id: 6780946013 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The value of $6\sin 20^{\circ} - 8\sin^3 20^{\circ} =$

Options:

- , 2
- $\frac{1}{\sqrt{2}}$
- ₃ √3
 - $\frac{1}{\sqrt{3}}$

Question Number: 11 Question Id: 6780946014 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

If $3\sin\theta + 4\cos\theta = 5$ then the value of $4\sin\theta - 3\cos\theta =$

Options:

- 1. 0
- 2 -1
- , 1
- , 2

Question Number: 12 Question Id: 6780946015 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The sine function with period 3 is

- $sin\frac{2\pi x}{2}$
- $\sin \frac{\pi x}{x}$
- 2

 $\sin 3\pi x$

3.

$$sin \frac{3\pi x}{2}$$

Question Number: 13 Question Id: 6780946016 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The maximum value of $3\sin^2 x + 5\cos^2 x$ is _____

Options:

- 8
- , 3
- , 5
- 4 34

Question Number: 14 Question Id: 6780946017 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The equation $\sqrt{3} \sin x + \cos x = 4$ has _____

Options:

- Only one solution
- two solutions
- , Infinite solutions
- no solution

Question Number: 15 Question Id: 6780946018 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The solution of $\cos^{-1}(\sqrt{3}x) + \cos^{-1}x = \frac{\pi}{2}$ is ____

- $\frac{1}{2}$
- . 5
- $-\frac{1}{2}$
- 3.

Question Number: 16 Question Id: 6780946019 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The value of $\sin \theta + \sin(\theta + 120^\circ) - \sin(120^\circ - \theta) =$

Options:

- , 0
- $\sin \theta$
- , 1
- $-\sin\theta$

Question Number: 17 Question Id: 6780946020 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The principal solution of 3CosecA = 4SinA is _____

Options:

- $\frac{\pi}{4}$
- $\pm \frac{\pi}{3}$
- $\pm \frac{\pi}{6}$
- $\pm 2\pi$

Question Number: 18 Question Id: 6780946021 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

If
$$|z^2 - 1| = |z|^2 + 1$$
, then z lies in _____

- The real axis
- , a circle
- The imaginary axis
 - a parabola

Question Number: 19 Question Id: 6780946022 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

If
$$\left(\frac{1+i}{1-i}\right)^3 - \left(\frac{1-i}{1+i}\right)^3 = a+ib$$
, then a an b are _____

Options:

- 1,1,1
- 2,-2
- , 0,-2
- 0,-1

Question Number : 20 Question Id : 6780946023 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

If the line y = 2x + c is a tangent to $x^2 + y^2 = 5$ then the value of c is _____

Options:

- , 2
- 2 3
- 3 4
- 4 5

Question Number : 21 Question Id : 6780946024 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

The vertex of the parabola $x^2 + 8x + 12y + 4 = 0$ is

Options:

- (-4,1)
- (4,-1)
- (-4,-1)
- 4. (4.1)

Question Number: 22 Question Id: 6780946025 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The number of tangents to the ellipse $\frac{x^2}{4} + \frac{y^2}{2} = 1$ through (2,1) is _____

Options:

1. (

- . .
- , 2
- 4 3

Question Number: 23 Question Id: 6780946026 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The length of the latus rectum of the hyperbola $x^2 - 4y^2 = 4$ is _____

Options:

- , 2
- . 1
- 3 4

Question Number: 24 Question Id: 6780946027 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The length of the diameter of the circle $x^2 + y^2 - 6x - 8y = 0$ is _____

Options:

- , 10
- , 15
- 3. 5
- , 20

Question Number: 25 Question Id: 6780946028 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

If the line 2y = 6x + k touches the parabola $y^2 = 6x$ then k =____

- $\frac{2}{2}$
- 1.
- 3
- 3
- 3 5
 - 6
- 1

Question Number: 26 Question Id: 6780946029 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

$$\lim_{x \to 2+} \frac{x |x-2|}{x-2} = \underline{\hspace{1cm}}$$

Options:

- 1 1
- -1
- , 2
- ₄ -2

Question Number : 27 Question Id : 6780946030 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

If $f(x) = (1+x)^{\frac{2}{x}}$ is continuous at x = 0 then $f(0) = \frac{1}{x}$

Options:

- , e
- e^2
- , e3
- $1 e^4$

Question Number : 28 Question Id : 6780946031 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

If $x = a \sec \theta$, $y = b \tan \theta$ then $\frac{dy}{dx} =$ _____

- $\frac{b}{a}\sec\theta$
- $\frac{b}{\theta}$ cosec θ
 - $\frac{a}{b}\sec\theta$
 - $\frac{a}{b}$ cosec θ

If
$$x^y = e^{x-y}$$
 then $\frac{dy}{dx} =$ ____

Options:

$$\frac{\log x}{(1+\log x)^2}$$

$$\frac{-\log x}{(1+\log x)^2}$$

$$\frac{-1}{(1+\log x)^2}$$

 $\frac{\log x}{(1-\log x)^2}$

Question Number: 30 Question Id: 6780946033 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

If
$$y = \sin^{-1}\left(\frac{x}{\sqrt{1+x^2}}\right)$$
 then $\frac{dy}{dx} =$ ____

Options:

$$-\frac{1}{1+x^2}$$

1.

$$\frac{1}{1+x^2}$$

2

$$\frac{2}{1+x^2}$$

4.

Question Number: 31 Question Id: 6780946034 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The slope of the normal to the curve $x = a \sec \theta$, $y = a \tan \theta$ at $\theta = \frac{\pi}{6}$ is _____

- , 2
- 2 (
- $-\frac{1}{2}$
- 256

Question Number: 32 Question Id: 6780946035 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The rate of change of area of a circle with respect to radius when r=5cm is

Options:

- 2π sq.cm/sec
- 10π sq.cm/sec
- $_{3}$ 100π sq.cm/sec
- 20π sq.cm/sec

Question Number: 33 Question Id: 6780946036 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Which of the following function has maxima or minima?

Options:

- $_{1}e^{x}$
- loga
- $x^3 + x^2 + x + 1$
- $\sin x$

Question Number : 34 Question Id : 6780946037 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

If the increase in the side of a square is 2% then the approximate percentage increase in the area of the square is _____

- 1. 2
- 2 4
- , 6
- , 8

For the function $f(x) = \log(x^2 + y^2)$, which of the following is true?

Options:

$$f_x + f_y = 0$$

$$f_{xx} + f_{yy} = 0$$

$$f_x - f_y = 0$$

$$f_{xx} - f_{yy} = 0$$

Question Number: 36 Question Id: 6780946039 Display Question Number: Yes Single Line Question Option: No Option **Orientation: Vertical**

$$\int \csc^5 \theta \cot \theta d\theta = \underline{\hspace{1cm}}$$

Options:

$$\frac{\cot^2 \theta}{2}$$

$$\frac{-\csc^5\theta}{}$$

$$\frac{\operatorname{cosec}^6 \theta}{6}$$

$$\frac{-\csc^6\theta}{}$$

Question Number: 37 Question Id: 6780946040 Display Question Number: Yes Single Line Question Option: No Option **Orientation**: Vertical



$$\log \frac{2}{3}$$

$$\log \frac{4}{3}$$

$$\log \frac{8}{3}$$

$$log \frac{1}{4}$$

Question Number: 38 Question Id: 6780946041 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

If a < 0 < b then $\int_{a}^{b} \frac{|x|}{x} dx = \underline{\qquad}$

Options:

- b-a
- a-b
- a+b
- 4. 0

Question Number: 39 Question Id: 6780946042 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

$$\int_{0}^{1} x \tan^{-1} x dx = \underline{\qquad}$$

Options:

$$\frac{\pi}{4} - \frac{1}{2}$$

$$\frac{\pi}{8} - \frac{1}{2}$$

$$\frac{\pi}{-} + \frac{1}{-}$$

$$\frac{\pi}{8} + \frac{1}{2}$$

Question Number : 40 Question Id : 6780946043 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

$$\lim_{n\to\infty} \sum_{r=1}^{n} \frac{1}{n} e^{\frac{r}{n}} = \underline{\qquad}$$

- (1+e)
- (1-e)
- 4. (e−1)

Question Number: 41 Question Id: 6780946044 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

$$\int_{0}^{\pi/4} \sec^6 x dx = \underline{\qquad}$$

Options:

- 8
- 1. 3
- 28
- $-\frac{28}{15}$
- 4
- 4 5

Question Number : 42 Question Id : 6780946045 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

The area bounded by the curve $y = \log x$, x-axis and the straight line x-e=0 is square units

Options:

- 1. e
- (e-1)
- 3 0
- (1-e)

Question Number : 43 Question Id : 6780946046 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

The volume of the solid generated by rotating one arch of the curve y = Sin3x about the x-axis is----

- π
- 1.

$$\frac{\pi^2}{2}$$

$$\frac{\pi^2}{4}$$

$$\frac{\pi^2}{6}$$

Question Number: 44 Question Id: 6780946047 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

 $y = cx - c^2$ is the general solution of the differential equation

Options:

$$\left(\frac{dy}{dx}\right)^2 - x\left(\frac{dy}{dx}\right) + y = 0$$

$$\frac{d^2y}{dx} = 0$$

$$\frac{dy}{dy} = c$$

$$\frac{dy}{dx} = c$$

$$\left(\frac{dy}{dx}\right)^2 + x\left(\frac{dy}{dx}\right) + y = 0$$

Question Number: 45 Question Id: 6780946048 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The general solution of the differential equation $\frac{dy}{dx} + \frac{y}{3} = 1$ is

$$y = 3 + ce^{-1}$$

$$y = 3 + ce^{-\frac{x}{3}}$$

$$3y = c + e^{\frac{x}{3}}$$

$$3y = c + e^{-\frac{x}{3}}$$

Question Number: 46 Question Id: 6780946049 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The differential equation corresponding to the family of curves $y = ae^{bx}$, where a and b are arbitrary constants, is ____

Options:

$$\frac{d^2y}{dx^2} = y\frac{dy}{dx}$$

$$y\frac{d^2y}{dx^2} - \frac{dy}{dx} = 0$$

$$y\frac{d^2y}{dx^2} = \left(\frac{dy}{dx}\right)^2$$

$$\frac{dy}{dx} - y^2 = 0$$

Question Number : 47 Question Id : 6780946050 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

An integrating factor of the differential equation

$$(x^2y + y + 1)dx + (x + x^3)dy = 0$$
 is

Options:

- e^{x}
- x^2
- 1
- 3. X
- 4 X

Question Number: 48 Question Id: 6780946051 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The differential equation whose solution is $Ax^2 + By^2$, where A,B are arbitrary constants are of ----

Options:

1st order and 1st degree

- 2nd order and1st degree
- 2nd order and 2nd degree
- ₄ 1st order and 2nd degree

Question Number : 49 Question Id : 6780946052 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

The general solution of the differential equation $\frac{d^2x}{dt^2} - 4\frac{dx}{dt} + 5x = 0$ is

Options:

$$x = (c_1 \cos t + c_2 \sin t)e^{2t}$$

$$t = (c_1 \cos x + c_2 \sin x)e^{2x}$$

$$x = (c_1 \cos 2t + c_2 \sin 2t)e^t$$

$$t = (c_1 \cos 2x + c_2 \sin 2x)e^x$$

Question Number: 50 Question Id: 6780946053 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The particular integral of $(D-2)^2 x = \sin 2x$ is

Options:

$$\frac{\cos 2x}{8}$$

$$\frac{\sin 2x}{8}$$

$$\frac{-\cos 2x}{2}$$

$$-\sin 2x$$

Number of Questions: Display Number Panel: Group All Questions: 25

Yes No Question Number: 51 Question Id: 6780946054 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The unit of impulse is the same as that of

Options:

- moment of force
- linear momentum
- force
- pressure

Question Number: 52 Question Id: 6780946055 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

If the force is given by F = at+bt² where t is the time. The dimensions of a and b are

Options:

$$ML^2T^{-3}$$
, ML^2T^{-2}

$$ML^{2}T^{-3}$$
, $ML^{3}T^{-4}$

Question Number: 53 Question Id: 6780946056 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Vector parallel to 6î + 8j and having a magnitude of 5 is

Options:

$$4\hat{i} + 3\hat{j}$$

$$12\hat{i} + 16\hat{j}$$

$$\frac{16i + 8j}{3}$$

$$3\hat{\imath} + 4\hat{\jmath}$$

Question Number: 54 Question Id: 6780946057 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

If $|\vec{A} \times \vec{B}| = K(AB)$ then angle between \vec{A} and \vec{B} is

```
cos<sup>-1</sup>K
```

Question Number: 55 Question Id: 6780946058 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

A cricket ball is thrown at a speed of 28 m/s in a direction 30⁰ above the horizontal. The maximum height reached by the ball is

Options:

- , 10 m
- 20 m
- 30 m
- 40 m

Question Number: 56 Question Id: 6780946059 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Two bodies are projected at angles of 45⁰ and 60⁰ with the horizontal with same velocity simultaneously. Ratio of their horizontal ranges is

Options:

- √3:2
- 2:√3
- , 1:2
- ₄ 2:1

Question Number: 57 Question Id: 6780946060 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

A ball thrown by a boy is caught 2 seconds later by another at some distance away on the same level. If the angle of projection is 30°, the velocity of projection is

```
19.6 m/sec
```

- 9.8 m/sec
- 4.9 m/sec
- 5.2 m/sec

Question Number: 58 Question Id: 6780946061 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

A 200 m wide river flows with a velocity of 5 m/sec. A man crosses the river in the shortest time of 25 sec. If there is no flow and he swims with the same velocity, the time taken to cross the river is

Options:

$$\frac{200}{5\sqrt{3}}$$
 sec

1.

- 20 sec
- 25 sec
- $25\sqrt{2}$ sec

Question Number : 59 Question Id : 6780946062 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

A body of mass 1 Kg lies on an inclined plane of angle 60⁰ to the horizontal. If the coefficient of friction is 0.4, the frictional force along the inclined plane is

Options:

- 1.96 N
- 0.98 N
- , 0.49
- 4 0.245 N

Question Number : 60 Question Id : 6780946063 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

A force of 20 Kg weight is required to just slide a wooden box weighing 50 Kg over ice. Then coefficient of static friction between the surfaces in contact is

Options:

0.2

```
0.1
Question Number: 61 Question Id: 6780946064 Display Question Number: Yes Single Line Question Option: No Option
Orientation: Vertical
 A cyclist comes to a skidding stop in 10m. During this process, the force on the
  cycle due to the road is 200N and is directly opposed to the motion. The work
  done by the road on the cycle is
Options:
   1000 J
   2000J
  -1000J
   -2000J
Question Number: 62 Question Id: 6780946065 Display Question Number: Yes Single Line Question Option: No Option
Orientation: Vertical
  A sphere of mass 4 Kg is dropped from a certain height. After 5s, its kinetic
                  (g=10 \text{ m/s}^2)
  energy is
Options:
   50 J
  5 KJ
Question Number: 63 Question Id: 6780946066 Display Question Number: Yes Single Line Question Option: No Option
Orientation: Vertical
  An elevator weighing 500 kg is to be lifted up at a constant velocity of 0.20 m/s.
  What would be the minimum power of the motor to be used?
Options:
   100 W
<sub>2</sub> 500 W
```

980 W 900 W Question Number: 64 Question Id: 6780946067 Display Question Number: Yes Single Line Question Option: No Option **Orientation: Vertical** At t=0, the displacement of a particle in SHM is half its amplitude. Its initial phase is (referring to mean position) **Options:** 2π Question Number: 65 Question Id: 6780946068 Display Question Number: Yes Single Line Question Option: No Option The length of seconds pendulum is 100 cm. To have a period half of this value, the length is to be reduced by **Options:** 25 cm Question Number: 66 Question Id: 6780946069 Display Question Number: Yes Single Line Question Option: No Option Inside a big hall, the reverberation time is **Options:** directly proportional to volume inversely proportional to sound absorption

both directly proportional to volume and

inversely proportional to sound absorption

depends on temperature

Question Number: 67 Question Id: 6780946070 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The voice of lion is different from that of a mosquito because

Options:

- , the sounds have different pitch
- they are of different size
- the two voices travel with different velocities
- the sounds have different phases

Question Number: 68 Question Id: 6780946071 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

A car is travelling at $\frac{V}{10}$ m/s and sounds horn of frequency 990 Hz. The apparent frequency heard by a police chasing the car at $\frac{V}{9}$ m/s (v is the velocity of sound) is

Options:

- 990 Hz
- 900 Hz
- ₃ 100 Hz
- 4 1000Hz

Question Number: 69 Question Id: 6780946072 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

When ice cube melts and becomes water, the ice-water system undergoes a change such that

- entropy of the system decreases and internal energy decreases
 - entropy of the system decreases and internal energy increases

- entropy of the system increases and internal energy increases
- entropy of the system increases and internal energy decreases

Question Number: 70 Question Id: 6780946073 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

A mass of 300 gm falls from a height of 3 m(g=9.8 m/s²). Assuming that the whole energy is converted into heat, the amount of heat produced is

Options:

- 2 cal
- 2.1 cal
- 3 4 cal
- 4.2 cal

Question Number: 71 Question Id: 6780946074 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

During an adiabatic expansion of 2 moles of a gas, the change in internal energy was found to be equal to 100 J. The work done during the process will be equal to

Options:

- zero
- ₂ -100 J
- ₂ 200 J
- 100 J

Question Number: 72 Question Id: 6780946075 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The pressure and density of a diatomic gas ($\gamma = \frac{7}{5}$) change adiabatically from

(P,d) to (P¹,d¹). If
$$\frac{d^1}{d}$$
 = 32, then $\frac{P^1}{P}$ is

- 128
- 2 32

	050	۰
	166	٠
	/ . 10	1
2		•
٦.		

4. 64

Question Number: 73 Question Id: 6780946076 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Boyle's law holds good for an ideal gas during

Options :

- isobaric changes
- isothermal changes
- isochoric changes
- isotopic changes

Question Number: 74 Question Id: 6780946077 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The threshold frequency of metal is v_0 . When a light of frequency 4 v_0 is incident on metal then the K.E_{max} of emitted electrons is

Options:

- $2v_0h$
- $3v_0h$
- , 4 voh
- v_oh

Question Number: 75 Question Id: 6780946078 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Superconductors are _____ materials

- dielectric
- paramagnetic
- ferromagnetic
- diamagnetic

Number of Questions:	25
Display Number Panel:	Yes
Group All Questions:	No

Question Number: 76 Question Id: 6780946079 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The Pauli exclusion principle is concerned with

Options:

- Energy of orbital.
- Spin of electron.
- Energy of electron
- Angular momentum of electron

Question Number: 77 Question Id: 6780946080 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

According to Bohr's model of hydrogen atom, the following is quantized

Options:

- Linear momentum
 - Linear velocity
- 2.
- Angular momentum
- Angular velocity

Question Number: 78 Question Id: 6780946081 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

How many 'd' - orbitals have two perpendicular nodal planes

Options:

- Two
- Three
- Four
- Five

Question Number: 79 Question Id: 6780946082 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

In sodium chloride crystal, each Na ⁺ ion is surrounded by
Options:
Two Cl ⁻ ions
Four Cl ⁻ ions
Six Cl ⁻ ions
Eight Cl ⁻ ions 4.
Question Number : 80 Question Id : 6780946083 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical
Which among the following molecule contains a π – bond
Options:
1. H ₂
2. O ₂
3. F ₂
4. HCI
Question Number : 81 Question Id : 6780946084 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical
Which among the following is insoluble in water?
Options:
Alcohol 1.
2. Ammonia
3. Benzene
Acetone 4.
Question Number : 82 Question Id : 6780946085 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical
The normality of 2.3 M H ₂ SO ₄ solution is
Options:
1. 0.46N
2. 0.23 N
2 3 N

Question Number: 83 Question Id: 6780946086 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

8 grams of substance of molecular weight 40 is dissolved in 250 g of water. Then the molality of the solution is

Options:

0.4

- . 0.8
- 0.2
- , 0.6

Question Number: 84 Question Id: 6780946087 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The pH value of 0.05M Ba(OH)₂ solution is

Options:

- , 10
- , 12
- , 13
- ₄ 11

Question Number: 85 Question Id: 6780946088 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Which of the following molecule is not a Lewis Base?

Options:

- . H₂C
- BF
- NH₃
- 4 CO

Question Number: 86 Question Id: 6780946089 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

During the electrolysis of brine, 710 g of Cl₂ was liberated at anode. The weight of NaOH formed

```
800 g
   400 g
   40 g
Question Number: 87 Question Id: 6780946090 Display Question Number: Yes Single Line Question Option: No Option
 In the Danniel cell, which electrode acts as anode?
Options:
   Cu
   Hg
    Zn
   Ρt
Question Number: 88 Question Id: 6780946091 Display Question Number: Yes Single Line Question Option: No Option
 The molar conductance of HCl is more than that of NaCl because
Options:
NaCl is more polar than KCl
  NaCl is ionic while HCl is covalent
  Ionic mobility of H<sup>+</sup> is more than that of Na<sup>+</sup>
  H get hydrated.
Question Number: 89 Question Id: 6780946092 Display Question Number: Yes Single Line Question Option: No Option
Orientation: Vertical
 The units for electrochemical equivalent are
Options:
    grams
     rams ampere
   Coulomb
   Grams per coulomb
```

Question Number: 90 Question Id: 6780946093 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Zeolite softening process removes
Options:
Only permanent hardness of water 1.
Only temporary hardness of water
Both temporary and permanent hardness of water
4. The dissolved gases in permanent hard water.
Question Number: 91 Question Id: 6780946094 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
The permanent hardness of water is caused by the presence of
Options:
Bicarbonates of Ca and Mg 1.
2. Carbonates of Na and K
Chlorides and Sulphates of Ca and Mg.
Phosphates of Na and K
Question Number : 92 Question Id : 6780946095 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical
The secondary treatment of water uses to consume wastes in water.
Options:
Filtration 1.
2. Sedimentation
Chemicals 3.
Microorganisms 4.
Question Number: 93 Question Id: 6780946096 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
Difficult to monitor and very dangerous form of corrosion is
Options:
Galvanic 1.
2. Pitting

Crevice 3.
Stress 4.
Question Number: 94 Question Id: 6780946097 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
When Pt and Co are electrically connected, which one gets corroded?
Options:
1. Co
2. Pt
None 3.
4 both
Question Number: 95 Question Id: 6780946098 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
What rubber was invented when Dr. Joseph C. Patrick tried to make antifreeze?
Options:
Methyl rubber
Chloroprene 2.
Bruna N
4. Thiokol
Question Number: 96 Question Id: 6780946099 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
The first plastic ever synthesized was called
Options:
1. Bakelite
2. Nylon
Dacron 3.
4. Cellulose
Question Number: 97 Question Id: 6780946100 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
is a brand of polyester textile fiber that is wrinkle resistant and strong
Options:

Cellulose Dacron Bakelite Nylon Question Number: 98 Question Id: 6780946101 Display Question Number: Yes Single Line Question Option: No Option Water gas is a mixture of **Options:** 1 H2 + CO $N_2 + CO$ H2 + CO2 H2 + CH4 Question Number: 99 Question Id: 6780946102 Display Question Number: Yes Single Line Question Option: No Option **Orientation: Vertical** Which of the following is not a greenhouse gas? **Options:** CO_2 water vapour Question Number: 100 Question Id: 6780946103 Display Question Number: Yes Single Line Question Option: No Option **Orientation: Vertical** Burning of fossil fuels causes Options: Global warming Ozone depletion Acid rain Eutrophication

Number of Questions: 100
Display Number Panel: Yes
Group All Questions: No

Question Number: 101 Question Id: 6780946104 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The operation of searching for the mineral is called.

Options:

- Extrapolation
- Prospecting
- Exploitation
- Extraction

Question Number: 102 Question Id: 6780946105 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Which of the following is the important ancillary mining operation

Options:

- Depillaring
- Development
- Strata control
- Drilling and blasting

Question Number: 103 Question Id: 6780946106 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The deposits occur nearer to the surface are

Options:

- , Singenetic deposits
- Superficial deposits
- 3 Stratified deposits
- Overburden deposits

Question Number: 104 Question Id: 6780946107 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Fishing the drill hole means

- Surveying for deviation of bore hole
- Flushing the hole for cuttings
- Pumping the water and mud under pressure into the hole

Tracing and withdrawing the broken and lost parts from the hole

4 hole

Question Number: 105 Question Id: 6780946108 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The straight chisel bit in drilling is used for

Options:

- Medium hard strata
- Soft strata
- , Hard strata
- Very hard strata

Question Number : 106 Question Id : 6780946109 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

The chemical used in the preparation of booster is

Options:

- NaNo₃
- PETN and TNT
- , ANFO and ASA
- ASA and PETN

Question Number: 107 Question Id: 6780946110 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Specific gravity of the methane gas in underground coal mine

Options:

- 0.599
- , 0.529
- 3 0.623
- 4 0.553

Question Number : 108 Question Id : 6780946111 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Modern flame safety lamp can withstand an air velocity of
Options:
1. 10 m/s
2. 11.5 m/s
_{3.} 12.5 m/s
4. 14 m/s
Question Number: 109 Question Id: 6780946112 Display Question Number: Yes Single Line Question Option: No. Option Orientation: Vertical
Magma is produced deep in the earth's crust where temperatures
are of the order of
Options:
1. 900° – 1600° C
2. 800° – 1500° C
$700^{0} - 1400^{0} C$
4. 600° – 1300° C
Question Number: 110 Question Id: 6780946113 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
Rocks crystallized at greater depths are called
Options:
1. Hypabisal rocks
Igneous rocks
Intrusive rocks 3.
4. Plutonic rocks
Question Number: 111 Question Id: 6780946114 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
An imaginary plane or surface which divides a fold into two equal
parts is called as
Options:
Normal plane
2. Dipping plane

3. Axiai piane
Overturned plane
Question Number: 112 Question Id: 6780946115 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
A local warping in the horizontal strata is called as
Options:
1. Homo-cline
2. Monocline
3. Bi-cline
4. Structural ferrace
Question Number: 113 Question Id: 6780946116 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
The places where the oil accumulates to form an oil pool are called
Options:
Oil forms
2. Oil gallons
3. OilTraps
4. Oil pools
Question Number: 114 Question Id: 6780946117 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
A group of closely spaced parallel veins are
called
Options:
Lenticular veins 1.
Composite veins
Ladder veins
Sheeted veins 4.
Question Number: 115 Question Id: 6780946118 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
A zinc deposit formed by a geological process is called

Magmatic separation Supergene Gravity concentration Hydrothermal Question Number: 116 Question Id: 6780946119 Display Question Number: Yes Single Line Question Option: No Option **Orientation: Vertical**rocks are formed when magma crystallizes beneath the earth's surface. **Options:** Intrusive Extrusive Sedimentary rocks Metamorphic rocks Question Number: 117 Question Id: 6780946120 Display Question Number: Yes Single Line Question Option: No Option **Orientation: Vertical** A coal heading 4m wide and 2.5m height has an advance of 1m per cycle. The amount of explosive used in blasting is 6 kg. Taking specific gravity of coal as 1.5, the powder factor is......... **Options:** 1.66 te/kg 2.50 te/kg 2.99 te/kg Question Number: 118 Question Id: 6780946121 Display Question Number: Yes Single Line Question Option: No Option **Orientation: Vertical** In horizon system of mining of coal seam, the laterals are driven **Options:** At right angles to the strike of the seam Parallel to the strike of the seam

At 450 to the dip of the seam At any angle to the strike of the seam Question Number: 119 Question Id: 6780946122 Display Question Number: Yes Single Line Question Option: No Option **Orientation: Vertical** Deflagration is **Options:** Rapid explosion Explosion and burning Rapid burning but not an explosion None of the above Question Number: 120 Question Id: 6780946123 Display Question Number: Yes Single Line Question Option: No Option **Orientation: Vertical** The width of heading in Bord and Pillar method of depends upon **Options:** Depth of working Face machinery used Size of the pillars ∨entilation requirement Question Number: 121 Question Id: 6780946124 Display Question Number: Yes Single Line Question Option: No Option **Orientation: Vertical** For a given perimeter the greatest area of support is offered by **Options:** Rectangular pillar homboid pillar Square pillar

Question Number: 122 Question Id: 6780946125 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Circular pillar

In ordinary coal, the rate of the penetration generally **Options:** 0.5 m/min 2.15 m/min 1.9 m/min 1.5 m/sec Question Number: 123 Question Id: 6780946126 Display Question Number: Yes Single Line Question Option: No Option **Orientation: Vertical** With DERD shearer the cut coal is thrown on to the armoured face conveyor by **Options:** Centrifugal face By the movement of the machine By the gummer Deflected by the plough. Question Number: 124 Question Id: 6780946127 Display Question Number: Yes Single Line Question Option: No Option **Orientation: Vertical** Drivage of two sets of roads and forming of pillar is known as **Options:** Working in the broken Working in the whole 2. Long-wall retreating 3 Question Number: 125 Question Id: 6780946128 Display Question Number: Yes Single Line Question Option: No Option **Orientation: Vertical** Gestation period is **Options:** The time interval between the mining start and production start The time interval between the mining start and mining close 2

The time interval between the production start and mining close 3. Lag on ignition. Question Number: 126 Question Id: 6780946129 Display Question Number: Yes Single Line Question Option: No Option **Orientation: Vertical** Blasting of a stope in Vertical Crater Retreat method consists of Blasting one row after another Creating initial slot going for mass blast Blasting all the holes in slices Blasting one column after another Question Number: 127 Question Id: 6780946130 Display Question Number: Yes Single Line Question Option: No Option **Orientation: Vertical** High production rates coupled with large scale and subsidence results from the method of **Options:** Top slicing Block caving Sublevel caving Vertical Creater Retreat mining Question Number: 128 Question Id: 6780946131 Display Question Number: Yes Single Line Question Option: No Option **Orientation: Vertical** Best suited mining method for thick vein/massive deposit, with strong ore, strong walls and steep dip is **Options:** Open stope Cut and fill Shrinkage stoping Block caving

Question Number: 129 Question Id: 6780946132 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Two or three compartment method of raising is limited to?
Options:
10 to 15m
_{2.} 15 to 20 m
3. 20 to 25 m
4. 25 to 30 m
Question Number: 130 Question Id: 6780946133 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
A method of controlling subsidence by proper control of
underground mining operations is known as
Options:
Contiguous mining
2. Stowed mining
3. Horizon mining
4. Harmonic mining
Question Number: 131 Question Id: 6780946134 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
Beam theory is applied to
Options:
Prop free front face
2. Freshly exposed roof
3. Roof bolting
4. Bar supporting
Question Number: 132 Question Id: 6780946135 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
The load at which an axially loaded prop reaches its elastic limit is
Options:
Load bearing capacity
Setting load
Yield load

Early bearing load

Question Number: 133 Question Id: 6780946136 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

For a surface mine, the maximum angle of slope of the bench

does not exceed

Options:

- 1. 300
- 2. 45⁰
- , 60°
- , 10°

Question Number: 134 Question Id: 6780946137 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

In respect of dipper shovel, "crowding" means

Options:

- Raising bucket to dumper height
- Piercing the bucket into broken mineral
- Swinging the bucket round
- Moving the shovel from one place to another

Question Number: 135 Question Id: 6780946138 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

In a ripper, the ripping tool exerts thrust into the ground by

Options:

- Hydraulic pressure
 - Compressed air pressure
- , Its own weight
- Hammering

Question Number: 136 Question Id: 6780946139 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The slope of the dumps of waste designed in such a way that

waste should not roll down at coal benches when it assumes

- Its momentum
- Its angle of repose
- 3 Slope angle of bench
- Critical height

Question Number: 137 Question Id: 6780946140 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The main reason to prepare Environmental Management Plan is

Options:

- To manage air, water and land pollutions
- To reduce noise and fly rock pollution
- To manage ground vibrations
- To improve the production

Question Number: 138 Question Id: 6780946141 Display Question Number: Ves Single Line Question Option: No Option Orientation: Vertical

The method of mining where the mineral is excavated in small open pits and is transported to the surface through u/g excavations is called

Options:

- , Hydraulic mining
- Open pit mining
- Glory hole mining
- Alluvial mining

Question Number: 139 Question Id: 6780946142 Display Question Number: Yes Single Line Question Option: No Option Orientation Vertical

Terrace cut for a Lignite deposit is given with the help of?

- Surface miner
- . Continuous miner
- Bucket Wheel Excavator
 - Dipper shovel

Question Number: 140 Question Id: 6780946143 Display Question Number: Yes Single Line Question Option: No Option **Orientation: Vertical** If the wet bulb temperature exceeds 30.5°C at any place air current should be faster than? **Options:** 1 m/s 2 m/s 3 m/s $0.5 \, \text{m/s}$ Question Number: 141 Question Id: 6780946144 Display Question Number: Yes Single Line Question Option: No Option **Orientation: Vertical** By varying the pitch of the blades the pressure generated by axia flow fan **Options:** remains same Decreases Increases Increases 8 times Question Number: 142 Question Id: 6780946145 Display Question Number: Yes Single Line Question Option: No Option **Orientation: Vertical** In an underground working area, CH₄ and CO₂ are normally expected to be found respectively **Options:** Near the floor and along the roadway Near the floor and near the roof the roof and near the floor Along the roadway and near the floor Question Number: 143 Question Id: 6780946146 Display Question Number: Yes Single Line Question Option: No Option **Orientation: Vertical**

If the CO/O₂ deficiency ratio in a mine is 2.25 %. It indicates

Existence of spontaneous heating Active fire Heating in advanced stage Normal to the coal mine Question Number: 144 Question Id: 6780946147 Display Question Number: Yes Single Line Question Option: No Option The detector that works on the principle of diffusion-combustioncontraction is **Options:** Spiralarm Methano meter Spectrometer Ring rose detector Question Number: 145 Question Id: 6780946148 Display Question Number: Yes Single Line Question Option: No Option **Orientation: Vertical** A gas mask does not include **Options:** Check valve Warning device Face piece assembl Coolant canist**∉** Question Number: 146 Question Id: 6780946149 Display Question Number: Yes Single Line Question Option: No Option Orientation : Vertical The amount of heat required to burn the methane is **Options:** 15 kcal/mole 19.5 kcal/mole 22.1 kcal/mole

25 kcal/mole
4.

Question Number: 147
Orientation: Vertical
The minimum
Options:

Question Number: 147 Question Id: 6780946150 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The minimum thickness of the explosion proof isolation stoping is?

- 1.49 m
- 3.3 m
- 4.50 m
- 4 6 m

Question Number: 148 Question Id: 6780946151 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The lower limit of explosibility of methane is

Options:

- 2.25%
- 2.9 %
- , 4.8%
- 16.9%

Question Number: 149 Question Id: 6780946152 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

An early indication of spontaneous heating of coal can be given by

Options:

- Sweating of strata
- Formation of CO
- Rise of temperature
- Active fire

Question Number: 150 Question Id: 6780946153 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Air samples behind the stopping should be drawn during periods of

- High barometric pressure
 - Low barometric pressure

Medium barometric pressure Very high barometric pressure Question Number: 151 Question Id: 6780946154 Display Question Number: Yes Single Line Question Option: No Option **Orientation: Vertical** A stone dust barrier should be provided at a distance from the nearest working face not less than **Options:** 150 m 250 m 322 m 350 m Question Number: 152 Question Id: 6780946155 Display Question Number: Yes Single Line Question Option: No Option **Orientation: Vertical** The part of light which is reflected is **Options:** Luminous efficiency Mean spherical candle power Useful for illumination Candela Question Number: 153 Question Id: 6780946156 Display Question Number: Yes Single Line Question Option: No Option **Orientation: Vertical** In designing the safety appliances against fire damp explosion the point which has more importance is **Options:** Methane percentage Amount of heat

Question Number: 154 Question Id: 6780946157 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Ignition temperature

Lag on ignition

3.

The presence of nitrous fumes are detected by **Options:** The smell of rotten eggs Sweet smell Metallic taste on tongue Headache Question Number: 155 Question Id: 6780946158 Display Question Number: Yes Single Line Question Option: No Option In shaft plumbing, the plumb bobs are immersed in a bucket of water to prevent **Options:** Oscillation of wires Effect of ventilation current Kinking of the wires 3. Swinging of wires Question Number: 156 Question Id: 6780946159 Display Question Number: Yes Single Line Question Option: No Option **Orientation: Vertical** The combined effect of curvature and refraction in levelling is an error which is **Options:** Additive Multiplicative Question Number: 157 Question Id: 6780946160 Display Question Number: Yes Single Line Question Option: No Option **Orientation: Vertical** The maximum permissible angular error in seconds in a closed underground

traverse of 16 stations measured with a 20 seconds theodolite is

```
120
Question Number: 158 Question Id: 6780946161 Display Question Number: Yes Single Line Question Option: No Option
Orientation: Vertical
 What will be the angle between the two lines OA and OB whose
 bearings are 560 and 1540 respectively?
Options:
  98°
  82<sup>0</sup>
   210<sup>0</sup>
   18<sup>0</sup>
Question Number: 159 Question Id: 6780946162 Display Question Number: Yes Single Line Question Option: No Option
Orientation: Vertical
 The type of vernier used in theodolites is
Options:
   Retrograde vernier
   Extended vernier
   Double folded circular vernier
    Double folded vernier
Question Number: 160 Question Id: 6780946163 Display Question Number: Yes Single Line Question Option: No Option
Orientation: Vertical
  The horizontal angle between the true meridian and magnetic
  meridian is
Options:
   Bearing
  Local attraction
   Declination
   Variation
```

Question Number: 161 Question Id: 6780946164 Display Question Number: Yes Single Line Question Option: No Option **Orientation: Vertical** The very first step in measuring distance between two stations is **Options:** Unfolding chain or tape Ranging Measurement Pacing Question Number: 162 Question Id: 6780946165 Display Question Number: Yes Single Line Question Option: No Option **Orientation: Vertical** The simplest instrument used for setting right angles is **Options:** Optical square Prism square Cross staff 3. Site square Question Number: 163 Question Id: 6780946166 Display Question Number: Yes Single Line Question Option: No Option **Orientation: Vertical** The method of levelling adopted for laying out a haulage roadway underground is **Options:** Differential levelling Cross-sectional levelling Reciprocal levelling ongitudinal levelling Question Number: 164 Question Id: 6780946167 Display Question Number: Yes Single Line Question Option: No Option **Orientation: Vertical** A compass traverse carried out for rough survey is balanced by which of the following method?

Bowditch rule Transit rule Graphical method Axis method Question Number: 165 Question Id: 6780946168 Display Question Number: Yes Single Line Question Option: No Option **Orientation: Vertical** The staff reading taken on a station before shifting the instrument is **Options:** Fore sight Intermediate sight Back sight Change point Question Number: 166 Question Id: 6780946169 Display Question Number: Yes Single Line Question Option: No Option **Orientation: Vertical** In the surveyor's telescope the eye piece commonly used is **Options:** Erecting eye piece Huygens eye piece Ramsden eye piece Diagonal eye piece 4. Question Number: 167 Question Id: 6780946170 Display Question Number: Yes Single Line Question Option: No Option **Orientation: Vertical** For surveying a road or railway line with compass or theodolite the method suitable is **Options:** Direct bearing Inclined angle Deflection angle

Continuous azimuth

Question Number: 168 Question Id: 6780946171 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The property which enables a metal to be drawn into wires is called

Options:

- Ductility
- Malleability
- Toughness
 - Brittleness

4

Question Number: 169 Question Id: 6780946172 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The space factor for stranded rope is?

Options:

- 30 to 40 %
 - 40 to 50 %

2.

- 3 50 to 60 %
- 4. 75 %

Question Number: 170 Question Id: 6780946173 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The correct place for tensioning arrangement in endless rope

haulage is

Options:

- At the top of the incline
- At the bottom of the incline
- Any point on the level roadway
- At the point where slack rope is most likely to occur

Question Number: 171 Question Id: 6780946174 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

In case of power failure, the device used to hold the belt to run downward is

```
Sequence control
   Back stay
2.
   Remote control
   Holdback
Question Number: 172 Question Id: 6780946175 Display Question Number: Yes Single Line Question Option: No Option
 The power is supplied to the coal drill by.....
5 core armoured cable
  3 core armoured cable
   4 core screened cable
   5 core screened cable
Question Number: 173 Question Id: 6780946176 Display Question Number: Yes Single Line Question Option: No Option
Orientation: Vertical
 What is the normal operating air pressure for pneumatically
 operated machines in underground in psi
Options:
   65 to 75
  85 to 100
  100 to 120
Question Number: 174 Question Id: 6780946177 Display Question Number: Yes Single Line Question Option: No Option
Orientation : Vertical
 Turbine pumps are suitable for water quantities up to?
Options:
   1 lac lit/min
   50000 lit/min
   5000 lit/min
  500 lit/min
```

Question Number: 175 Question Id: 6780946178 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

For winding purpose locked coil rope is preferred because it

Options:

- Offers greater resistance
- Has greater fill factor
- Permits high factor of safety
 - Cannot be spliced

Question Number: 176 Question Id: 6780946179 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

A component which plays most important role of safety in

detaching hook is

Options:

- Jaws
- Centre pivot
- D-link pin
- Copper pin

Question Number: 177 Question Id: 6780946180 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The usual maximum speed of winding drum shaft is

Options:

- 120 rpm
- 240 rpm
- 90 rpm
- 45 rpm

Question Number: 178 Question Id: 6780946181 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

In Keope winding the overwinding is prevented by

Options:

Safety hook

1.

Breakage of rope 2. Convergence of guides 3. Thickening of guides Question Number: 179 Question Id: 6780946182 Display Question Number: Yes Single Line Question Option: No Option **Orientation: Vertical** Lemniscate bar is the component of **Options:** Road header Shield support DERDS AFC Question Number: 180 Question Id: 6780946183 Display Question Number: Yes Single Line Question Option: No Option **Orientation: Vertical** In underground mines, the power cannot be used at voltage exceeding **Options:** 220 250 Question Number: 181 Question Id: 6780946184 Display Question Number: Yes Single Line Question Option: No Option **Orientation: Vertical** As compared with cage, a skip carries a large payload **Options:** 2 times 3 times 8 times Question Number: 182 Question Id: 6780946185 Display Question Number: Yes Single Line Question Option: No Option **Orientation: Vertical** Armoured chain conveyors are principally used for?

Bord and pillar method In gate roads Prop free front of L/W face Bridge conveyors Question Number: 183 Question Id: 6780946186 Display Question Number: Yes Single Line Question Option: No Option **Orientation: Vertical** Micro organization is a company with a capital less than **Options:** 10 lakhs 25 lakhs 75 lakhs 100 lakhs Question Number: 184 Question Id: 6780946187 Display Question Number: Yes Single Line Question Option: No Option Register of return of reportable accidents is maintained in the form of? **Options:** FORM J FORM K FORM L FORM M Question Number: 185 Question Id: 6780946188 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Mine Rules came into force on **Options:** March 1955 July 1955 2nd May 1955 4. 2nd January 1955

Question Number : 186 Question Id : 6780946189 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical
The drinking water points shall not be situated withinof
any washing place, urinal or latrine.
Options:
1. 6 m
2. 15m
3. 10m
4. 12 m
Question Number: 187 Question Id: 6780946190 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
If the gradient is less than 1 in 6, manholes may be provided at
intervals of not more than
Options:
1. 10 m
20 m
30 m
40 m
4.
Question Number: 188 Question Id: 6780946191 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
Arrangement shall be made for suppression of coal dust with
water within at leastof the face?
Options:
60 m
2. 50 m
3. 80 m
4. 100 m
Question Number: 189 Question Id: 6780946192 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

As per Mines Act 1952, the notice of opening of mine is given in
the form?
Options:
1. FORM I
2. FORM II
3. FORM III
4. FORM IV
Question Number: 190 Question Id: 6780946193 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
Every worker has to undergo vocational training once
inyears?
Options:
1. 3
2. 5
2. 3. 6 4
4
4.
Question Number: 191 Question Id: 6780946194 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
Except in stone drift, not more thanshots shall be
fired in any one round.
Options:
1. 5
2. 10
15 3.
20
4.
Question Number: 192 Question Id: 6780946195 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
Every plan shall show a scale of the plan at least
long.
Options:

```
15 cm
   20 cm
  25 cm
   30 cm
Question Number: 193 Question Id: 6780946196 Display Question Number: Yes Single Line Question Option: No Option
Orientation: Vertical
 Ore grade for which revenue from the recoverable reserve exactly
 equals the cost of mining, treatment, and marketing is known as
Options:
  Cut - off grade
   Break – even grade
   Average grade
   Liquidation grade
Question Number: 194 Question Id: 6780946197 Display Question Number: Yes Single Line Question Option: No Option
Orientation: Vertical
 Safety officer shall be appointed in a mine if the average monthly
 output exceeds
Options:
  2500 tonnes
  5000 tonnes
   7500 tonnes
   0000 tonnes
Question Number: 195 Question Id: 6780946198 Display Question Number: Yes Single Line Question Option: No Option
Orientation: Vertical
 In high efficiency combustion and advanced power generation technologies, the
 coal fired power plants are units larger than......MW
Options:
  600
  500
```

3.	400
4	700

Question Number: 196 Question Id: 6780946199 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The process which is based purely on density of minerals and does not depend on rate of fall or size of an ore or material is known as......

Options:

- Tabling
 - Sink and float
- Froth flotation
- Jigging

Question Number: 197 Question Id: 6780946200 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Options:

- Less than 1
- More than 1
- Less than 1.5
- More than 1.5

Question Number: 198 Question Id: 6780946201 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

In Blake jaw crusher, the angle between jaws is about

- , 10⁰
 - 300
- 20⁰
- 3.
- 40°

The primary grinding is referred to the reduction of ore as mined
usually intomm
Options:
1. 50
2. 200
_{3.} 150
4. 100
Question Number : 200 Question Id : 6780946203 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical
The method of separation of two or more of minerals of different
specific gravities is called
Options:
Flotation 1.
Sieving 2.
3. Washing
Heavy media separation 4.
3. Heavy media separation 4.